



赫兹电力
HERTZ POWER

产品宗旨：技术领先，质量可靠，轻便易用

服务宗旨：快速响应，客户到满意，超过期





赫兹电力
HERTZ POWER

产品宗旨：技术领先，质量可靠，轻便易用

服务宗旨：快速响应，客户到满意，超过期





LCD

0 1000V, 250V 10kV, 0.01M 1000G
0 750V

6

| | | | | |
|--|--------------|-----------|---------------|-------|
| | 250V(± 10%) | 0 10M | ± 3% dg± 5dgt | 0.01M |
| | | 10 100M | | 0.1M |
| | | 100 1000M | | 1M |
| | | 1G 10G | | 0.01G |
| | 500V(± 10%) | 0 10M | ± 3% dg± 5dgt | 0.01M |
| | | 10 100M | | 0.1M |
| | | 100 1000M | | 1M |
| | | 1G 10G | | 0.01G |
| | 1000V(± 10%) | 0 20M | ± 3% dg± 5dgt | 0.01M |
| | | 20 200M | | 0.1M |
| | | 200 2000M | | 1M |
| | | 2G 20G | | 0.01G |
| | 2500V(± 10%) | 0 2000M | ± 3% dg± 5dgt | 1M |
| | | 2000M 20G | ± 5% dg± 5dgt | 0.01G |

225

027-83267669



| | | | | |
|---------------------|--|------------|-------------------------|-------|
| | | 20G 200G | $\pm 20\% dg \pm 10dgt$ | 0.1G |
| 5000V($\pm 10\%$) | | 0 2000M | $\pm 3\% dg \pm 5dgt$ | 1M |
| | | 2000M 20G | $\pm 5\% dg \pm 5dgt$ | 0.01G |
| | | 20G 200G | $\pm 20\% dg \pm 10dgt$ | 0.1G |
| | | 200G 1000G | $\pm 20\% dg \pm 10dgt$ | 1G |
| 10kV($\pm 10\%$) | | 0 2000M | $\pm 3\% dg \pm 5dgt$ | 1M |
| | | 2000M 20G | $\pm 5\% dg \pm 5dgt$ | 0.01G |
| | | 20G 200G | $\pm 20\% dg \pm 10dgt$ | 0.1G |
| | | 200G 1000G | $\pm 20\% dg \pm 10dgt$ | 1G |

1 T Tera ohm =1000G = 10^{12}

1 G Gi ga ohm =1000M = 10^9

1 M Mega ohm =1000K = 10^6

| | | | | |
|--|---------|-------|-------------------------|------|
| | | | | |
| | DC 0.0V | 1000V | $\pm 1.5\% dg \pm 3dgt$ | 0.1V |
| | AC 0.0V | 750V | $\pm 1.5\% dg \pm 3dgt$ | 0.1V |


| | | | | |
|-----|---------------------|---------|------|-----------------|
| | | | | |
| | 23 | ± 5 | 75%h | |
| (V) | 250 | 500 | 1000 | 2500 5000V 10KV |
| (V) | $\times 1 \pm 10\%$ | | | |
| G | 0.01M | 1000G | | : 0.01M |
| | 0 | 1000V | | : 0.1V |
| | 0 | 750V | | : 0.1V |
| | 5mA(10KV) | | | |




1. LCD
2. LINE
3. V
4. GUARD
5. EARTH
- 6.
7. USB
- 8.
- 9.
- 10.
- 11.
- 12.
- 13.
- 14.
- 15.

1
LINE
GUARD
I
R=V/I

V
R



$$R = V / I$$





6 GUARD

7 PI (DAR)
7.1







" "

" 60.15S"

15S

7.4

PI

DAR

()

() (1)



" "

" - - - - -"

600V

9999M

10 /

" MEM

" FULL"

1258M

" MEM

3

11 /

" MR

" MR

" ▲ "

" ▼ "

1

" "

" "

10

" MR

3

6


LCD

" NULL"

" CLEAR"

NO

YES



12V

10V

1

1

2

1



1

2

1.

2

1

2

3

027-83267669

4

2

24

24

48