




赫兹电力
HERTZ POWER


产品宗旨：技术领先，质量可靠，轻便易用
服务宗旨：快速响应，**达到满意，超过期望**



b“g D-`

DL/T848. 1-2004

1



0.1kV

1uA

2.

3. 0.75U

0.75U

0.75U


4.

5.

6.

7.

8.



kV

60

mA

5

W

300

kg

9

mm³

465*390*190

mm

440

± (1.0% ± 2)

± (1.0% ± 2)

0.5%

30

10% 10


1.25



	AC220V± 10% 50HZ
	-10- 40
	25 85%
	1500

1. 6. 1

1. 1



1. 6. 1


- 1.
- 4.
- 7.
- 10.

- 2.
- 5.
- 8.
- 11.

- 3.
- 6. 0. 75U_{DC}1mA
- 9.


1. 6. 2

1. 2



1. 6. 2

- | | | |
|----|----|----|
| 1. | 2. | 3. |
| 4. | 5. | 6. |
| 7. | | |




0.75U_{DC}1mA

0.75

75%

0.75U_{DC}1mA

)



赫兹电力
HERTZ POWER

(220V± 10

3A

kV

1.1


B+HA



赫兹电力

HERTZ

产品特点：技术领先，质量可靠，轻便易用
服务宗旨：快速响应，达到满意，超过期望






AC220V

1.1

3.2

3.3



AC220V

3-5kV

()

0.75UDC1mA

95%

0.75UDC1mA

75

()

UDC1mA


20



赫兹电力
HERTZ POWER

产品宗旨：技术领先，质量可靠，轻便易用

服务宗旨：快速响应，**达到满意，超过期望**







赫兹电力
HERTZ POWER

产品宗旨：技术领先，质量可靠，轻便易用

服务宗旨：快速响应，**达到满意，超过期望**





3 2 24

027-83267669

24 48

4

