



赫兹电力
HERTZ POWER

HZM-5K



赫兹电力
HERTZ POWER



服务宗旨：快速响应，到满意，超过期望

d 4 3

t6

赫兹电力
HERTZ POWER




	0.01V~750V	$\pm 2\%rdg \pm 3dgt$
	0.01V~1000V	$\pm 2\%rdg \pm 3dgt$

3

	DC 14.8V2200mAh 16.8V
	250V 500V 1000V 2500V 5000V
	$\geq 5mA$ ($\geq 10mA$ $\geq 3.5mA$ $\geq 1.5mA$)
	L " L "
	G "G"
	E "E"
	V
	0.01M Ω
	0.01V
	0.01V
	1 ~30)
LCD	4 LCD
LCD	128mm × 75mm
LCD	124mm × 67mm
	LED

赫兹电力
HERTZ POWER



赫兹电力
HERTZ POWER

FUNCTION 5000V/2500V/1000V/500V/250V

TEST 3

LCD

2 “ ”

TEST

HOLD

1000

1000 1

FUNCTION V

HOLD

PI/DAR DISP

PI DAR1 DAR2

PI/DAR1/DAR2

10 1 30 15

TEST TIME

ENTER

0

LAMP

LCD

CLOCK


ENTER

READ

READ

DEL

Yes No ENTER



LINE GUARD


2.3. GUARD

GUARD

80%

2500V

GUARD



3

3.1.

FUNCTION

TEST

“ ”

LINE

LCD

2

“ ”

TEST

“ ”

LCD

HOLD

PI

DAR

HOLD

TEST

3.2. PI (DAR)

PI DAR

PI DAR

PI DAR PI

DAR

PI DAR

DAR

DAR

10

(R10min) 1

(R1min)

PI

PI

PI DAR

$$PI(\text{极化指数}) = \frac{R_{10 \text{ Min}}}{R_{1 \text{ Min}}}$$

$$DAR1(\text{吸收比}) = \frac{R_{60 \text{ Sec}}}{R_{15 \text{ Sec}}}$$

1. R10Min= 10

2. R1Min=R60Sec= 1

3. R30Sec= 30

4. R15Sec= 15

5. DAR 15 30


PI

DAR

()

() (1)

()



	4	4 2	2.0 1.0	1.0

	1.4	1.25 1.0	1.0

PI

DAR

PI/DAR DISP

PI

DAR1/DAR2

LCD

PI

PI/DAR DISP

DAR1







赫兹电力
HERTZ POWER

产品宗旨：技术领先，质量可靠，轻便易用

服务宗旨：快速响应，时间到满意，超过期望

赫兹电力
HERTZ POWER

